



ELEGANCE IN CIRCULAR

CEDAS IRIS

GREAT DESIGN LETS

LUXURY INTO YOUR LIFE







ROUND HOMELIFTS starting from \varnothing 1600mm

Machine Directive 2006/42/CE


Duty Load max 300kg

Speed 0,15m/s in UE and 0,3m/s extra UE


Pit 150mm, Head Room 2350 ÷ 2600mm



- glass or metal sheet cladding for structure
- metal structures
- metal sheet cabin walls
- glassed cabin walls (option: metal sheet)



H3



H6




ROUND HOMELIFTS starting from \varnothing 1300mm

Machine Directive 2006/42/CE


Duty Load max 300kg

Speed 0,15m/s in UE and 0,3m/s extra UE


Pit 120mm, Head Room 2350 ÷ 2600mm



Hs1



Hs2



Hs3



- glass or metal sheet cladding for structure
- metal structures
- metal sheet cabin walls
- glassed cabin walls (option: metal sheet)




ROUND LIFTS starting from \varnothing 1900mm


Lift Directive 95/16/CE

Speed 0,5m/s

Pit 1950mm, Head Room 2900 ÷ 3500mm




L1




L3



- glass or metal sheet cladding for structure
- metal structures
- metal sheet cabin walls
- ▬ glassed cabin walls (option: metal sheet)



L2



L4





ELEGANCE IN CIRCULAR
CEDAS IRIS
GREAT DESIGN LETS
LUXURY INTO YOUR LIFE

These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.

CEDAS E.F. LLC
P.O.Box: 8190
Ajman, U.A.E.
Tel.: +971 6 743 7667
Fax: +971 6 748 4131
sales@cedas-uae.com
www.cedas-uae.com